

























Products Name <u>Appearance</u>	ITEM	Description	US Dollars	Canadian Dollars	Notes
 Light Booth	MSBS-III	Three illuminates D65, F2 and indoor	560	576	CSA approved with certificate of calibration
 Folio 60 Degree Mini Gloss	M6G-F!	60 Degree Glossmeter	747	795	2 yr warranty with certificate of calibration
 Folio Trigloss Mini Gloss	MG268-F2	20, 60 and 85 Degree Glossmeter	1751	1863	2 yr warranty with certificate of calibration
 <u>Adhesion</u>					
Cross Cut Kit 1mm	791544	1mm Cross Hatch Kit	189	200	
Cross Cut Kit 1.5mm	791545	1.5 mm Cross Hatch Kit	189	200	
Cross Cut Kit 2 mm	791546	2 mm Cross Hatch Kit	189	200	
Cross Cut Kit 3 mm	791558	3 mm Cross Hatch Kit	189	200	
<u>Application</u>					
	YLD100-1	25µm	70	72	
	YLD100-2	37.5µm	70	72	
	YLD100-3	50µm	70	72	
	YLD100-4	75µm	70	72	

 <p>One-side 'Bird' Type Applicators</p>	YLD100-5	100µm	70	72	
	YLD100-6	125µm	70	72	
	YLD100-7	150µm	70	72	
	YLD100-8	200µm	70	72	
	YLD100-9	250µm	70	72	
	YLD100-10	300µm	70	72	
	YLD100-11	350µm	70	72	
	YLD100-12	400µm	70	72	
	YLD100-13	450µm	70	72	
	YLD100-14	500µm	70	72	
	YLD100-15	600µm	70	72	
	 <p>Two-Sided Applicator</p>	YLD101-1	75-100um	84	87
		YLD101-2	125-150um	84	87
		YLD101-3	200-250um	84	87
		YLD101-4	300-400 µm	84	87
YLD101-5		500-600um	84	87	
 <p>Cube Applicator</p>	YLD102-1	37.5-75µm	92	95	
	YLD102-2	75-150µm	92	95	
 <p>Four-Sided Frame Type Applicator</p>	YLD103-1	25-50-75-100 µm	140	144	
	YLD103-2	50-100-150-200 µm	140	144	
	YLD103-3	30-60-90-120 µm	140	144	
	YLD103-4	5-10-15-20 µm	140	144	
	YLD104-1	5-10-15-20 µm	132	136	
	YLD104-2	25-50-75-100 µm	132	136	
	YLD104-3	50-100-150-200 µm	132	136	
	YLD104-4	30-60-90-120 µm	132	136	
	YLD104-5	100-100-300-400 µm	132	136	
	YLD104-6	50-75-100-150 µm	132	136	
	YLD104-7	100-150-200-250 µm	132	136	

Four-Sided Applicator	YLD104-8	250-500-750-1000 μm	132	136
Adjustable Film Applicator Knife 	KTQ-1	55mm Width ; 0-3500μm	330	340
	KTQ-2	100mm Width ; 0-3500μm	420	432
	YLD105-1	12/15/20/25/30/40/50/60/80/100/120/150/180/200μm ; (Dia:10mm)	40	41
Wire Bar Coaters (100mm)	YLD105-2		50	51
Wire Bar Coaters(200mm)	YLD105-3		80	82
Wire Bar Coaters(300mm)	YLD105-4	6/8/10/12/15/20/25/50μm (Dia:9mm)	40	41
Small Wire Bar Coaters (100mm)	YLD105-5	6/8/10/12/15/20/25/50μm (Dia:9mm)	60	62
Small Wire Bar Coaters (200mm)				
Density Cups				
				
	ISO Density Cup	QBB	100ml	110
Dispersion				
	QXD-1	0 ~ 25μm	76	78
	QXD-2	0 ~ 50μm	70	72
	QXD-3	0 ~ 100μm	70	72
Stainless Steel Fineness of Grind Gauges	QXD-4	0~150um	70	72
ISO Stainless Steel Fineness of Single Channels Grind	QXP-1	0 ~ 25μm	110	113
	QXP-2	0 ~ 50μm	80	82
	QXP-3	0 ~ 100μm	80	82
ISO Stainless Steel Fineness of Double Channels Grind	QXP-1S	0 ~ 25μm	170	175
	QXP-2S	0 ~ 50μm	140	144
	QXP-3S	0 ~ 100μm	140	144
Film Thickness				

	PIG Multi-purpose day film measuring instrument	QDX	1mm,2mm/500±5g	720	742	
	Folio Thickness Gauge	51-153F	Digital Thickness Gauge for ferrous and noferrous substrates	644	685	2 yr warranty with certificate of calibration
	Folio Thickness Gauge with Download	51-250F	Digital Thickness Gauge for ferrous and noferrous substrates with download software	1373	1461	2 yr warranty with certificate of calibration
Hardness						
	Hardness Tester	QHQ-A	500g/750g/1000g (choose weight load)	100	103	
Impact and Flexibility						
	Concial Bend Tester	QTZ	φ3.2mm-φ38mm	238	245	
	Standard Bend Tester	QTY	2-32mm	190	196	

					
Cupping Tester	QBJ	φ20mm/10mm/0.05mm	1580	1627	
	QCJ-50	50cm/1kg/8mm	150	155	Height/Weight/Tup Diameter
	QCJ-100	100cm/1kg/8mm	240	247	Height/Weight/Tup Diameter
	QCJ-120	120cm/1kg/8mm	420	432	Height/Weight/Tup Diameter
Viscosity					
					
Ford Cup	FOD	Orifice Diameter : 4.12mm	136	140	Certified \$ 40.00
Tripod Standard for Ford Cup	FOS	Adapt to ISO, Ford cups	70	72	
	CSB-2	Zahn Cup 2# (Orifice Diameter : 2.74mm)	58	60	Certified \$ 40.00
	CSB-3	Zahn Cup 3# (Orifice Diameter : 3.76mm)	58	60	Certified \$ 40.00
	CSB-4	Zahn Cup 4# (Orifice Diameter : 4.27mm)	58	60	Certified \$ 40.00
	CSB-5	Zahn Cup 5# (Orifice Diameter : 5.28mm)	58	60	Certified \$ 40.00
					
KU Krebs Viscometer	STM-IV	Stormer Krebs Digital Viscometer	1680	1730.4	CSA approved
Lab Supplies					
Palette Knife/Spatulas	YLD 1231 (6.7")	Fan-shaped	14	15	
	YLD 1232 (6.5")	Fan-shaped	12	13	
\$ 50 minimum order for Lab Supplies	YLD1233 (6")	Fan-shaped	9	10	
	YLD 1234 (5.5")	Fan-shaped	6	7	

YLD 1235 (4.5")	Fan-shaped	12	13
YLD 1236 (3")	Fan-shaped	4	5
YLD 1250	Knife-Shaped	9	10
YLD 1251	Shovel-Shaped	9	10

Terms and Conditions of Sale

FCA: Kitchener, Ontario

Payment: Visa, Mastercard or Net 30 days with approved account

Delivery 4-6 weeks approx

All Taxes extra

Prices may change at any time

To place an order please call toll free 800-683-6546